

**CATALOGUE
2020**

**GALFER
BIKE**

Since 1952

**YOU RIDE
WE BRAKE!**



MTB



E-BIKES



ROAD



TRIAL

EXPERTS IN *FRICCIÓN*

PRESENTATION | PRESENTACIÓN

3

TECHNOLOGY | TECNOLOGÍA

4

QUALITY | CALIDAD

5

PRODUCTION | PRODUCCIÓN

6

COMPETITION | COMPETICIÓN

7

BRAKE PRODUCTS | PRODUCTOS FRENO

8

 **MTB PRODUCTS | PRODUCTOS BTT**

11

 **E-BIKES PRODUCTS | PRODUCTOS E-BIKES**

21

 **ROAD PRODUCTS | PRODUCTOS CARRETERA**

24

ACCESSORIES | ACCESORIOS MTB E-BIKES ROAD

27


 **TRIAL PRODUCTS | PRODUCTOS TRIAL**

28

BRAKE PADS REFS. | REFS. PASTILLAS FRENO

30





GALFER is a leading manufacturer of friction materials and components for braking systems for the motorcycling and bicycle sectors.

Industrias **GALFER** began manufacturing brake pads and discs specific to MTB in 1998 developing them together in collaboration with leading european manufacturers of brake systems, and is also today, the only Spanish manufacturer of brake pads for bicycles. Almost 20 years experience in the MTB industry show that **GALFER BIKE** brake products are guarantee of quality. Currently Industrias **GALFER** still supplying brake pads and discs for the main world brands brakes.

Since our company was founded in 1952, we have been known for being at the forefront of innovation, quality and organization. Today we link our experience and tradition to new technologies, cutting-edge materials and the most advanced management systems.

All our products are strictly tested for quality to guarantee its safety. We are so committed with quality regulations that our quality controls exceed the ECE R-90 standards.

GALFER business philosophy is based on the values that led us to become a world leader in braking systems. There's only a thing that our brakes cannot stop: the speed at which we enter the future.

GALFER es una empresa líder en la fabricación de materiales de fricción y componentes de sistemas de frenado para los sectores de motociclismo y bicicleta. Industrias **GALFER** comenzó a fabricar pastillas y discos de freno específicas para MTB en el año 1998 desarrollándolas conjuntamente en colaboración con los principales fabricantes de sistemas de freno europeos, siendo además a día de hoy, el único fabricante español de pastillas de freno para bicicletas. Con casi 20 años de experiencia en el sector MTB los productos de freno **GALFER BIKE** son una garantía de calidad. Actualmente Industrias **GALFER** sigue suministrando pastillas y discos de freno para las principales marcas de frenos mundiales.

Desde nuestra fundación, en 1952, hemos destacado por estar en primera línea en cuestiones de innovación, calidad y organización. Hoy nuestra experiencia y tradición se unen a las nuevas tecnologías, los materiales de última generación y los sistemas de gestión más novedosos.

Todos nuestros productos se someten a un estricto control de calidad que garantiza su seguridad. Nuestro compromiso con la legislación en materias de calidad es tal que nuestros controles superan los estándares de la directiva ECE R-90 vigente.

El espíritu empresarial de **GALFER** se fundamenta en la apuesta por los valores que nos han llevado a consolidarnos como el referente internacional en sistemas de frenado. Lo único que nuestros sistemas no pueden frenar es la velocidad con que nos adentramos en el futuro.





Innovation has been GALFER driving force for more than 60 years.



In this extremely demanding market, we know that the only way of staying ahead our competitors and to continue being a world reference in the manufacturing of braking systems is to invest in continual improvement.

Our team at the R&D department combines their passion and enthusiasm with the latest technology to offer the best final product, with improved brake power, reduced wear, and less noise, preferred by major original equipment manufacturers (OEM).

La innovación es la fuerza motriz de GALFER desde hace más de 60 años.

En un mercado extraordinariamente exigente, sabemos que la única manera de mantenernos por delante de nuestros competidores y continuar siendo el referente mundial en sistemas de frenado es invertir en la mejora constante.

La pasión y el entusiasmo de las personas que integran nuestro departamento de I+D+i se combinan con la tecnología de última generación para ofrecer un producto final excelente, con una mayor potencia de frenada, un menor desgaste y el mínimo ruido, preferida por los principales fabricantes de equipos originales (OEM).



Quality management is essential for the evolution of our products. All pieces are tested under strict quality control measures to ensure the highest degree of safety and performance.

GALFER has obtained the ISO 9001 Quality certified. In order to stay up to date with the current trends and to address the needs of the sector, GALFER is in the process of obtaining the ISO/TS 16949 certification.

QUALITY POLICY

MISSION: To offer friction materials and components for comprehensive brake system solutions.

VISION: To become an international benchmark for braking systems.

VALUES:

- **INNOVATION:** Continual introduction of new technologies to offer improved products to the market.
- **ASSURANCE:** Offering solutions fitted to our clients needs and to complying with current laws in all our activities, as well as any other agreed requirements related to the management system.
- **CONFIDENCE:** By means of innovation and implementation of a quality management system based on continual improvement.
- **EFFICIENCY:** Encouraging teamwork and facilitating direct and customized attention to our clients and complying with all our products specifications.
- **SUSTAINABILITY:** Respecting the environment and minimizing the environmental impact.
- **SAFETY:** Investing and training to guarantee the maximum safety and occupational health.
- **ACCOUNTABILITY:** Ethical and responsible management in all our activities.

El Departamento de Calidad es clave en la evolución de nuestros productos. Todas las piezas se someten a un estricto control de calidad para garantizar su máxima seguridad y prestaciones.

GALFER posee la certificación de Calidad ISO 9001. Para no perder rueda con las tendencias actuales y asumir las exigencias del sector, GALFER está en proceso de obtención la certificación ISO/TS 16949.

POLITICA DE CALIDAD

MISIÓN: Ofrecer materiales de fricción y componentes para soluciones integrales de sistemas de frenado.

VISIÓN: Convertirnos en un referente internacional en sistemas de frenado.

VALORES:

- **INNOVACIÓN:** incorporación constante de nuevas tecnologías para aportar mejoras de productos al mercado.
- **GARANTÍA:** ofrecer soluciones ajustadas a los requisitos de nuestros clientes y cumplir con la legislación vigente en todas nuestras actividades, así como otros requisitos suscritos relacionados con el sistema de gestión.
- **CONFIANZA:** mediante la innovación y la implantación de un sistema de gestión de calidad basado en la mejora continua que garantice los resultados esperados.
- **EFICACIA EN LA GESTIÓN:** fomentando el trabajo en equipo y facilitando un trato directo y personalizado a nuestros clientes y cumpliendo todas las especificaciones de nuestros productos.
- **SOSTENIBILIDAD:** respeto al medio ambiente y minimización del impacto medio ambiental.
- **SEGURIDAD:** inversión y formación para garantizar la máxima seguridad y salud en el trabajo.
- **RESPONSABILIDAD:** gestión ética y responsable en todas nuestras actividades.





All GALFER products (discs, pads and brake lines) are designed and manufactured in our 6000 sq. meters factory at Granollers (Barcelona), next to the Circuit de Catalunya.

The production process begins in the R&D Department, responsible for launching new products. The materials are developed in our laboratories and then chemical and physical tests are conducted. Once this phase is completed and to determine their going into production further tests are conducted on a vehicle. The Department of Methodology designs the production processes with the Engineering Department. Finally, the Quality Department certifies the quality and reliability of our products according to ISO standards.

We are members of the FEMFM (Federation of European Manufacturers of Friction Materials), and we have worked together for the European Quality Manual of disk pads, drum brake calipers and clutches.

Todos los productos GALFER (discos, pastillas y latiguillos de freno) se diseñan y se producen en la fábrica de Granollers (Barcelona), unas instalaciones de 6000 m² situadas al lado del Circuit de Catalunya.

El proceso productivo se inicia en el Departamento de I+D+i, que se encarga del lanzamiento de nuevos productos. Nuestros laboratorios desarrollan los materiales y los someten a pruebas químicas y físicas. Superada esta fase, se realizan las pruebas sobre el vehículo para determinar el paso a producción. El Departamento de Metodología diseña los procesos productivos en conjunción con el Departamento de Ingeniería. En último lugar interviene el Departamento de Control de Calidad, que certifica la calidad y fiabilidad de nuestros productos siguiendo las normas ISO.

Somos miembros de la FEMFM (Federation of European Manufacturers of Friction Materials), con la que hemos colaborado en la elaboración del Manual de Calidad europeo para pastillas de frenos de disco, mordazas de freno de tambor y embragues. La pasión y el entusiasmo de las personas que integran nuestro departamento de I+D+i se combinan con la tecnología de última generación para ofrecer un producto final excelente, con una mayor potencia de frenada, un menor desgaste y el mínimo ruido, preferida por los principales fabricantes de equipos originales (OEM).



COMPETITION | COMPETICIÓN

GALFER
BIKE






MTB

STANDARD G1053
FOR UNIVERSAL RIDING




MTB

DISC WAVE® FIXED
ref. **DB002W** ø160x1,8mm




99 gr. **MTB**
DISC WAVE® FIXED
ref. **DB003W** ø180x1,8mm



ADVANCED G1851
FOR EXTREME WET CONDITIONS



MTB




PRO G1554T
FOR COMPETITION NO NEED RUNNING-IN




MTB

120 gr. **MTB**
DISC WAVE® FIXED
ref. **DB004W** ø203x1,8mm




140 gr. **MTB**
DISC WAVE® FLOATING
ref. **DB003FLW** ø180x1,80mm

DISC WAVE® FLOATING
ref. **DB003FLW** ø180x1,80mm



140 gr. **MTB**



160 gr. **MTB**



E-BIKES

E-BIKES G1652
FOR ELECTRIC BIKES



E-BIKES



DISC WAVE® FIXED
ref. **DB003W2** ø180x2,0mm




THICKNESS
2,0mm

140 gr. **MTB / E-BIKES**
DISC WAVE® FIXED
ref. **DB004W2** ø203x2,0mm



THICKNESS
2,0mm

180 gr. **MTB / E-BIKES**
DISC WAVE® FIXED
ref. **DB007W** ø223x2,0mm



THICKNESS
2,0mm

229 gr. **MTB / E-BIKES**




ROAD

ROAD G1455
FOR ROAD RIDING



DISC WAVE® FIXED

ref. **DB101W** ø140x1,8mm



64 gr.

ROAD

DISC WAVE® FIXED

ref. **DB102W** ø160x1,8mm



79 gr.

ROAD




TRIAL

SINTERED G1398
FOR BIKE TRIAL



TRIAL



DISC WAVE® FIXED

ref. **DB202W** ø160x1,8mm



99 gr.

TRIAL

ACCESSORIES ACCESORIOS

CENTER LOCK ADAPTER
ref. **CB001** 29 gr.



ROAD

CALIPER ADAPTER
ref. **SB001** 21 gr.



MTB/E-BIKES

+43mm

CALIPER ADAPTER
ref. **SB002** 22 gr.



+20mm

CALIPER ADAPTER
ref. **SB003** 24 gr.



MTB/E-BIKES

+63mm



GALFER
BIKE



MOUNTAIN BIKE

BRAKE PADS

MTB



AVID

BB7, JUICY 3/5/7, ULTIMATE, CARBON

GALFER

**FD
281**
G1053

G1851
***G1554T**

↔ 31,9
mm X
↑ 35,0

◀ 4,0



GALFER
FD281G1053

★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

AVID

CODE R (2011-)

GALFER

**FD
455**
G1053

G1851
G1554T

↔ 40,7
mm X
↑ 29,6

◀ 4,0



GALFER
FD455G1053

SRAM

CODE R, RSC, GUIDE RE



AVID

BB5 (Ball Bearing 5)

GALFER

**FD
420**
G1053

***G1851**

↔ 24,0
mm X
↑ 37,0

◀ 4,0



GALFER
FD420G1053

★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

GALFER

**FD
459**
G1053

G1851
G1554T

↔ 37,7
mm X
↑ 24,3

◀ 3,9

AVID

XO TRAIL, 7 TRAIL, 9 TRAIL

SRAM

GUIDE R, RS, RSC, ULTIMATE, G2



AVID

CODE (07-10)

GALFER

**FD
421**
G1053

***G1851**
***G1554T**

↔ 41,3
mm X
↑ 34,7

◀ 4,0



GALFER
FD421G1053

★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

GALFER

**FD
469**
G1053

G1851
G1554T

↔ 30,9
mm X
↑ 26,3

◀ 4,0



GALFER
FD469G1053



AVID

ELIXIR 1, 3, 5, 7, XX, XO

SRAM

X SERIES, DB SERIES

SRAM

LEVEL, T, & TL / TLM & ULTIMATE (2019-)


GALFER

**FD
427**
G1053

G1851
G1554T

↔ 29,8
mm X
↑ 33,4

◀ 4,0



GALFER
FD427G1053

GALFER

**FD
513**
G1053

G1851

↔ 29,5
mm X
↑ 30,8

◀ 4,0



GALFER
FD513G1053





FORMULA


B4, 4 RACING

GALFER
FD
332
G1053

***G1554T**

↔ 43,3
mm X
↓ 25,0

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

FORMULA

ORO 18K / 24K

GALFER
FD
425
G1053

G1851
***G1554T**

↔ 27,0
mm X
↓ 34,0

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

FORMULA

MEGA, THE ONE, RO, R1, RX, RR1, T1, C1, CURA

GALFER
FD
451
G1053

G1851
***G1554T**

↔ 28,15
mm X
↓ 35,5

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

FORMULA

CURA 4

GALFER
FD
531
G1053

G1851
***G1554T**

↔ 43,9
mm X
↓ 23,4

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

HAYES


HFX-9, MAG, MX-1

GALFER
FD
282
G1053

***G1851**
***G1554T**

↔ 31,9
mm X
↓ 32,0

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

HAYES


MX-2 (2004), MX-3 (mecanico), MX-4, MX-5, GX-2, SOLE

GALFER
FD
416
G1053

***G1851**

↔ 20,8
mm X
↓ 28,6

► 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

HOPE

DH4 (4 pistons)

GALFER
FD
241
G1053

***G1851**
***G1554T**

↔ 20,0
mm X
↓ 28,0

► 4,5



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

HOPE

XC4 (4 pistons)

GALFER
FD
242
G1053

***G1851**
***G1554T**

↔ 40,5
mm X
↓ 23,1

► 4,5



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

BRAKE PADS

MTB



HOPE
C2, O2 (2 pistons)

GALFER
FD
244
G1053

↔ 25,0
mm X
↑ 32,5
BK 4,1



HOPE
M4 (all models)

GALFER
FD
453
G1053
G1851
G1554T

↔ 37,0
mm X
↑ 24,2
BK 4,0



TRICKSTUFF
DIRETISSIMA

HOPE
MINI (2 pistons), ENDURO (2001)

GALFER
FD
250
G1053

↔ 26,5
mm X
↑ 31,0
BK 4,0



GALFER
FD
465
G1053
G1851
G1554T

↔ 37,0
mm X
↑ 29,0
BK 4,0



HOPE
DB110, MONO TRIAL, TRIAL ZONE

GALFER
FD
328
G1053
G1851

↔ 26,9
mm X
↑ 34,6
BK 4,0



GALFER
FD
466
G1053
G1851
G1554T

↔ 40,0
mm X
↑ 26,0
BK 4,0



TRICKSTUFF
MAXIMA

HOPE
MONO V2, TECH V2

GALFER
FD
445
G1053
***G1851**
***G1554T**

↔ 27,0
mm X
↑ 36,0
BK 4,0



GALFER
FD
467
G1053
G1851
G1554T

↔ 27,0
mm X
↑ 31,2
BK 4,3



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS


HOPE
MONO MINI
GALFER**FD
488****G1053****G1851****G1554T**

↔ 30,0

mm X

↑ 27,6

→ 4,0

**MAGURA**

MARTA, MARTA SL (-2008)

GALFER**FD
253****G1053****G1851*****G1554T**

↔ 39,3

mm X

↑ 23,5

→ 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

MAGURA

JULIE (01-08)


GALFER**FD
236****G1053*****G1851*****G1554T**

↔ 28,8

mm X

↑ 47,2

→ 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

GALFER**FD
349****G1053*****G1851*****G1554T**

↔ 41,2

mm X

↑ 25,8

→ 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

MAGURA

CLARA (01-02), LOUISE (02-06)


GALFER**FD
237****G1053*****G1851*****G1554T**

↔ 24,8

mm X

↑ 42,9

→ 3,9



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

GALFER**FD
436****G1053****G1851****G1554T**

↔ 30,0

mm X

↑ 33,4

→ 4,0

**MAGURA**

GUSTAV M (-2006)

GALFER**FD
246*****G1053*****G1851*****G1554T**

↔ 69,9

mm X

↑ 26,5

→ 3,5



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

GALFER**FD
487****G1053****G1851****G1554T**

↔ 19,0

mm X

↑ 29,5

→ 4,0



BRAKE PADS



MTB

SHIMANO
DEORE XT (M755)

HOPE
MONO 4

SHIMANO

SAINT (M810), ZEE, XT BR-M8020, XTR BR-M9120, BR-MT520


TRP

QUADIEM, SL, SLATE T4

GALFER

**FD
247
G1053
G1851**

↔ 37,0
mm x
↑ 25,3
→ 3,7



GALFER

**FD
426
G1053
G1851
G1554T**

↔ 39,5
mm x
↑ 24,2
→ 4,0



SHIMANO

DEORE (M416/445/446/485/486/515/525/575, C601)

TEKTRO

AURIGA, DRACO, ...

SHIMANO

XTR, XT (2014-), DEORE XT (M785), SLX (M666)

GALFER

**FD
293
G1053
G1851
G1554T**


↔ 30,6
mm x
↑ 35,0
→ 4,0



GALFER

**FD
452
G1053
G1851
G1554T**

↔ 32,3
mm x
↑ 30,0
→ 4,0



SHIMANO

XTR (03-07), DEORE XT (M965/966/975), DEORE LX (M655/765), SAINT XT (04-07)

SHIMANO

ULTEGRA DISC ROAD, DURA ACE, BR-RS305/405/505/805, XTR BR-M9100

GALFER

**FD
294
G1053
G1851
*G1554T**

↔ 34,3
mm x
↑ 27,3
→ 4,0



GALFER

**FD
496
G1053
G1851**

↔ 26,3
mm x
↑ 30,0
→ 4,0



SHIMANO
NEXAVE (C-910), DEORE (M555)

TEKTRO

IO, GEMINI (2003-), NOVELA (2003-), AQUILA

GALFER

**FD
305
G1053
G1851
*G1554T**

↔ 29,0
mm x
↑ 26,1
→ 4,0



GALFER

**FD
454
G1053
*G1851**

↔ 25,4
mm x
↑ 37,5
→ 4,0



★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

★ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

MTB**BRAKE PADS**

BRAKE PADS PACK SPECIAL FOR WORKSHOP (30 sets)


PACK DE PASTILLAS DE FRENO ESPECIALES PARA TALLER (30 juegos)



| REF. | BRANDS | MODELS |
|--------------------|--------------------------|--|
| FD293P1053 | SHIMANO | 60 u. Deore (30 sets) |
| FD293P1652 | SHIMANO | 60 u. Deore (30 sets) |
| FD293P1554T | SHIMANO | 60 u. Deore (30 sets) |
| FD420P1053 | AVID | 60 u. BB5 (30 sets) |
| FD426P1053 | SHIMANO | 60 u. Saint (30 sets) |
| FD426P1652 | SHIMANO | 60 u. Saint (30 sets) |
| FD427P1053 | AVID | 60 u. Elixir (30 sets) |
| FD436P1053 | MAGURA | 60 u. MT 2-4-6-8 (30 sets) |
| FD436P1554T | MAGURA | 60 u. MT 2-4-6-8 (30 sets) |
| FD451P1053 | FORMULA | 60 u. R Series (30 sets) |
| FD452P1053 | SHIMANO | 60 u. XTR (30 sets) |
| FD452P1652 | SHIMANO | 60 u. XTR (30 sets) |
| FD455P1053 | AVID / SRAM | 60 u. Code R / Guide RE (30 sets) |
| FD455P1652 | AVID / SRAM | 60 u. Code R / Guide RE (30 sets) |
| FD459P1053 | AVID / SRAM | 60 u. X Series Trail & Guide (30 sets) |
| FD469P1053 | SRAM | 60 u. Level TLM & Ultimate (30 sets) |
| FD469P1554T | SRAM | 60 u. Level TLM & Ultimate (30 sets) |
| FD496P1053 | SHIMANO | 60 u. Ultegra Disc Road, Dura Ace, BR-RS305, RS405, RS505, RS805, XTR BR-M9100 (30 sets) |
| FD496P1455 | SHIMANO | 60 u. Ultegra Disc Road, Dura Ace, BR-RS305, RS405, RS505, RS805, XTR BR-M9100 (30 sets) |
| FD513P1053 | SRAM | 60 u. Level T, TL (30 sets) |
| FD001P1053 | SHIMANO | 20 u. FD293G1053 (10 sets) + 20 u. FD294G1053 (10 sets) + 20 u. FD452G1053 (10 sets) |
| FD002P1053 | AVID / FORMULA / SHIMANO | 20 u. FD427G1053 (10 sets) + 20 u. FD451G1053 (10 sets) + 20 u. FD452G1053 (10 sets) |
| FD003P1053 | SHIMANO / AVID / SHIMANO | 20 u. FD294G1053 (10 sets) + 20 u. FD427G1053 (10 sets) + 20 u. FD452G1053 (10 sets) |
| FD004P1053 | AVID / SHIMANO / AVID | 20 u. FD281G1053 (10 sets) + 20 u. FD293G1053 (10 sets) + 20 u. FD427G1053 (10 sets) |
| FD005P1053 | AVID / SRAM | 20 u. FD427G1053 (10 sets) + 20 u. FD459G1053 (10 sets) + 20 u. FD469G1053 (10 sets) |
| FD006P1053 | AVID / MAGURA / FORMULA | 20 u. FD427G1053 (10 sets) + 20 u. FD436G1053 (10 sets) + 20 u. FD451G1053 (10 sets) |
| FD007P1053 | SHIMANO / AVID / SHIMANO | 20 u. FD293G1053 (10 sets) + 20 u. FD427G1053 (10 sets) + 20 u. FD452G1053 (10 sets) |
| FD008P1053 | SRAM / SRAM / SRAM | 20 u. FD459G1053 (10 sets) + 20 u. FD469G1053 (10 sets) + 20 u. FD513G1053 (10 sets) |
| FD009P1053 | AVID / MAGURA / SHIMANO | 20 u. FD427G1053 (10 sets) + 20 u. FD436G1053 (10 sets) + 20 u. FD452G1053 (10 sets) |

MTB STANDARD P1053 PRO P1554T**E-BIKES P1652****ROAD P1455**


BRAKE DISCS



MTB

DISC WAVE® FIXED

ref. DB002W ø160x1,8mm




99 gr.

MTB

DISC WAVE® FIXED

ref. DB003W ø180x1,8mm




120 gr.

MTB

DISC WAVE® FIXED

ref. DB004W ø203x1,8mm




18 140 gr.

DISC WAVE® FIXED


ref. DB007W ø223x2,0mm

THICKNESS
2,0mm



229 gr.


MTB

MTB

DISC WAVE® FLOATING

ref. **DB003FLW** ø180x1,8mm

PINS COLOR OPTION


TF
TRUE FLOATING SYSTEM


140 gr.

MTB

DISC WAVE® FLOATING

ref. **DB004FLW** ø203x1,8mm

PINS COLOR OPTION


TF
TRUE FLOATING SYSTEM


160 gr.

MTB**BRAKE DISCS**

by

GALFER
BIKE


TRUE FLOATING SYSTEM



Powered by ANSYS

**TOTAL
FLOATING**


- The brake track is flexible and has the ability to expand and contract
- Less vibration due to the free brake track (independent piece)
- Posibilidad de flexión, dilatación o contracción de la pista de freno
- Reducción de vibraciones gracias a la libertad de la pista de frenada



Powered by ANSYS

**IMPROVED
COOLING**

- The Disc Wave® design improves air circulation
- Thermal break between friction surface and carrier
- Circulación del aire más efectiva gracias al diseño Disc Wave®
- Corte térmico entre la pista de freno y el núcleo interior



Powered by ANSYS

**MORE BRAKING
POWER**

- Improved brake track windows design in contact with the pad
- Thinner and stronger steel carrier that reduces its total weight
- Diseño de ventanas más efectivas en contacto con la pastilla de freno
- Núcleo de acero alámbrico y resistente que reduce su peso total.

PINS COLOR OPTION FOR FLOATING DISC

OPCIÓN DE COLOR DE LOS PINS PARA EL DISCO FLOTANTE

RED

ref. ø180mm

DB003FLWR

ref. ø203mm

DB004FLWR**GOLD**

ref. ø180mm

DB003FLWG

ref. ø203mm

DB004FLWG**BLUE**

ref. ø180mm

DB003FLWB

ref. ø203mm

DB004FLWB**ORANGE**

ref. ø180mm

DB003FLWO

ref. ø203mm

DB004FLWO





ELECTRIC BIKES

PADS & DISC



E-BIKES

AVID

CODE R (2011-)

GALFER

**FD
455
G1652**

↔ 40,7
mm X
↑ 29,6
DK 4,0



SRAM

GUIDE R, RSC, GUIDE RE


GALFER

**FD
451
G1652**

GALFER

**FD
451
G1652**

↔ 28,15
mm X
↑ 35,5
DK 4,0



FORMULA

MEGA, THE ONE, RO, R1, RX, RR1, T1, C1, CURA



AVID

XO TRAIL, 7 TRAIL, 9 TRAIL

GALFER

**FD
459
G1652**

↔ 37,7
mm X
↑ 24,3
DK 3,9



SRAM

GUIDE R, RS, RSC, ULTIMATE, G2

GALFER

**FD
436
G1652**

GALFER


**FD
436
G1652**

↔ 30,0
mm X
↑ 33,4
DK 4,0



MAGURA

MT2, MT4, MT6, MT8, MTS



SRAM

HDR, RED 22, FORCE, RIVAL, LEVEL TLM & ULTIMATE (-2018)

GALFER

**FD
469
G1652**

↔ 30,9
mm X
↑ 26,3
DK 4,0



GALFER

**FD
487
G1652**

↔ 19,0
mm X
↑ 29,5
DK 4,0



SRAM

LEVEL, T, & TL / TLM & ULTIMATE (2019-)

GALFER

**FD
513
G1652**

↔ 29,5
mm X
↑ 30,8
DK 4,0



GALFER

**FD
293
G1652**

↔ 30,6
mm X
↑ 35,0
DK 4,0



SHIMANO

DEORE (M416/445/446/485/486/515/525/575, C601)

TEKTRO


AURIGA, DRACO, ...

E-BIKES**PADS & DISC****SHIMANO**

SAINT (M810), ZEE, XT BR-M8020, XTR BR-M9120

GALFER
**FD
426
G1652**

| | |
|----|------|
| ↔ | 39,5 |
| mm | X |
| ↑ | 24,2 |
| ↓ | 4,0 |

**TRP**

QUADIEM, SL, SLATE T4

DISC WAVE® FIXEDref. **DB003W2** ø180x2,0mm**NEW**THICKNESS
2,0mm**SHIMANO**


XTR 2011, DEORE XT (M785), SLX (M666)

GALFER
**FD
452
G1652**

| | |
|----|------|
| ↔ | 32,3 |
| mm | X |
| ↑ | 30,0 |
| ↓ | 4,0 |

**DISC WAVE® FIXED**ref. **DB004W2** ø203x2,0mm

140 gr.

E-BIKES**DISC WAVE® FIXED**ref. **DB007W** ø223x2,0mmTHICKNESS
2,0mm

180 gr.

E-BIKES


229 gr.

E-BIKES



ROAD BICYCLES

ROAD



PADS & DISC

AVID

XO TRAIL, 7 TRAIL, 9 TRAIL

GALFER

**FD
459
G1455**

| | |
|----|------|
| ↔ | 37,7 |
| mm | x |
| ↕ | 24,3 |
| ☒ | 3,9 |



SRAM

GUIDE R, RS, RSC, ULTIMATE, G2

GALFER

**FD
465
G1455**

| | |
|----|------|
| ↔ | 37,0 |
| mm | x |
| ↕ | 29,0 |
| ☒ | 4,0 |

HOPE

E4, RX4 - SH



SRAM

HDR, RED 22, FORCE, RIVAL

GALFER

**FD
469
G1455**

| | |
|----|------|
| ↔ | 30,9 |
| mm | x |
| ↕ | 26,3 |
| ☒ | 4,0 |



GALFER

**FD
436
G1455**

| | |
|----|------|
| ↔ | 30,0 |
| mm | x |
| ↕ | 33,4 |
| ☒ | 4,0 |

MAGURA

MT2, MT4, MT6, MT8, MTS

CAMPAGNOLO

H11




AVID

ELIXIR 1, 3, 5, 7, XX, X0

GALFER

**FD
427
G1455**

| | |
|----|------|
| ↔ | 29,8 |
| mm | x |
| ↕ | 33,4 |
| ☒ | 4,0 |



SRAM

XX, XO, X7, X9, DB

GALFER

**FD
452
G1455**

| | |
|----|------|
| ↔ | 32,3 |
| mm | x |
| ↕ | 30,0 |
| ☒ | 4,0 |

SHIMANO

XTR, XT (2014-), DEORE XT (M785), SLX (M666)



FORMULA

MEGA, THE ONE, RO, R1, RX, RR1, T1, C1, CURA

GALFER

**FD
451
G1455**

| | |
|----|-------|
| ↔ | 28,15 |
| mm | x |
| ↕ | 35,5 |
| ☒ | 4,0 |



GALFER

**FD
496
G1455**


| | |
|----|------|
| ↔ | 26,3 |
| mm | x |
| ↕ | 30,0 |
| ☒ | 4,0 |

SHIMANO

ULTEGRA DISC ROAD, DURA ACE, BR-RS305/405/505/805




PADS & DISC



ROAD


DISC WAVE® FIXED
ref. **DB101W** ø140x1,8mm



64 gr.

ROAD

DISC WAVE® FIXED
ref. **DB102W** ø160x1,8mm



²⁶ 79 gr.

ROAD





ACCESSORIES

CENTER LOCK ADAPTER ref. CB001

29 gr.

GALFER
BIKE

ROAD

MTB/E-BIKES



CALIPER ADAPTER ref. SB001

21 gr.

CALIPER ADAPTER ref. SB002

22 gr.

+43mm

MTB/E-BIKES



+20mm

MTB/E-BIKES



CALIPER ADAPTER ref. SB003

24 gr.

NEW

+63mm

MTB/E-BIKES



| Ref. | Front size (mm.) | Rear size (mm.) |
|--------------------------|---|--|
| SB001 (+43 mm) | $\varnothing 160 \rightarrow \varnothing 203$ $\varnothing 180 \rightarrow \varnothing 223$ | $\varnothing 180 \rightarrow \varnothing 223$ |
| SB002 (+20 mm) | $\varnothing 160 \rightarrow \varnothing 180$ $\varnothing 180 \rightarrow \varnothing 200$ $\varnothing 203 \rightarrow \varnothing 223$ | $\varnothing 160 \rightarrow \varnothing 180$ $\varnothing 180 \rightarrow \varnothing 200$ |
| SB003 (+63 mm) | $\varnothing 160 \rightarrow \varnothing 223$ | $\varnothing 160 \rightarrow \varnothing 223$ |

GALFER
BIKE



BIKE TRIAL

TRIAL**PADS & DISC****HOPE**

DB110, MONO TRIAL, TRIAL ZONE


GALFER**FD****328****G1398****G1851**

↔ 26,9


mm X

↑ 34,6

→ 4,0

**DISC WAVE® FIXED**
ref. **DB202W** ø160x1,8mm**GALFER**
BIKE*Discwave*

99 gr.

TRIAL

BRAKE PADS

REFS.

| | | | | | | | |
|---|--|---|--|---|--|---|--|
| GALFER FD 241 G1053 'G1851 'G1554T | | GALFER FD 305 G1053 'G1851 'G1554T | | GALFER FD 427 G1053 'G1851 'G1554T G1455 | | GALFER FD 465 G1053 'G1851 'G1554T G1455 | |
| GALFER FD 242 G1053 'G1851 'G1554T | | GALFER FD 328 G1053 'G1851 G1398 | | GALFER FD 436 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 466 G1053 'G1851 'G1554T | |
| GALFER FD 246 G1053 'G1851 'G1554T | | GALFER FD 332 G1053 'G1554T | | GALFER FD 445 G1053 'G1851 'G1554T | | GALFER FD 467 G1053 'G1851 'G1554T | |
| GALFER FD 247 G1053 'G1851 | | GALFER FD 349 G1053 'G1851 'G1554T | | GALFER FD 451 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 469 G1053 'G1851 'G1554T G1455 G1652 | |
| GALFER FD 253 G1053 'G1851 'G1554T | | GALFER FD 416 G1053 'G1851 | | GALFER FD 452 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 487 G1053 'G1851 'G1554T G1652 | |
| GALFER FD 281 G1053 'G1851 'G1554T | | GALFER FD 420 G1053 'G1851 | | GALFER FD 453 G1053 'G1851 'G1554T | | GALFER FD 488 G1053 'G1851 'G1554T | |
| GALFER FD 282 G1053 'G1851 'G1554T | | GALFER FD 421 G1053 'G1851 'G1554T | | GALFER FD 454 G1053 'G1851 | | GALFER FD 496 G1053 'G1851 'G1652 | |
| GALFER FD 293 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 425 G1053 'G1851 'G1554T | | GALFER FD 455 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 513 G1053 'G1851 'G1652 | |
| GALFER FD 294 G1053 'G1851 'G1554T | | GALFER FD 426 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 459 G1053 'G1851 'G1554T G1455 G1652 | | GALFER FD 531 G1053 'G1851 'G1554T | |
| GALFER FD 330 G1053 'G1851 'G1554T | | GALFER FD 460 G1053 'G1851 'G1554T | | GALFER FD 461 G1053 'G1851 'G1554T | | GALFER FD 532 G1053 'G1851 'G1554T | |



MTB STANDARD G1053 ADVANCED G1851 PRO G1554T

E-BIKES G1652



ROAD ROAD G1455

TRAIL SINTERED G1398

■ UNTIL STOCKS END | HASTA FIN DE EXISTENCIAS

REFS.



BRAKE PADS


| BRAND | MODEL | GALFER REF. |
|------------|----------------------|--------------|
| AVID | 7 Trail | FD459 |
| AVID | 9 Trail | FD459 |
| AVID | BB5 (Ball Bearing 5) | FD420 |
| AVID | BB7 | FD281 |
| AVID | Carbon | FD281 |
| AVID | Code 2007-10 | FD421 |
| AVID | Code R 2011 | FD455 |
| AVID | Elixir 1 | FD427 |
| AVID | Elixir 3 | FD427 |
| AVID | Elixir 5 | FD427 |
| AVID | Elixir 7 | FD427 |
| AVID | Juicy 3 | FD281 |
| AVID | Juicy 5 | FD281 |
| AVID | Juicy 7 | FD281 |
| AVID | Ultimate | FD281 |
| AVID | X0 | FD427 |
| AVID | X0 Trail | FD459 |
| AVID | XX | FD427 |
| CAMPAGNOLO | H11 | FD436 |
| FORMULA | 4 Racing | FD332 |
| FORMULA | B4 | FD332 |
| FORMULA | C1 | FD451 |
| FORMULA | Cura | FD451 |
| FORMULA | Cura 4 | FD531 |
| FORMULA | Mega | FD451 |
| FORMULA | Oro 18K | FD425 |
| FORMULA | Oro 24K | FD425 |
| FORMULA | RO | FD451 |
| FORMULA | R1 (2008-) | FD451 |
| FORMULA | RR1 | FD451 |
| FORMULA | RX (2009-) | FD451 |
| FORMULA | T1 | FD451 |
| FORMULA | The One | FD451 |
| HAYES | GX-2 | FD416 |
| HAYES | HFX-9 | FD282 |
| HAYES | MAG | FD282 |
| HAYES | MX-1 | FD282 |
| HAYES | MX-2 (2004) | FD416 |
| HAYES | MX-3 (mecanico) | FD416 |
| HAYES | MX-4 | FD416 |
| HAYES | MX-5 | FD416 |
| HAYES | Sole | FD416 |
| HOPE | C2 | FD244 |
| HOPE | DB110 | FD328 |
| HOPE | DH4 (4 pistones) | FD241 |
| HOPE | E4 | FD465 |
| HOPE | Enduro (2001) | FD250 |
| HOPE | M4 (all models) | FD453 |
| HOPE | Mini (2 pistones) | FD250 |
| HOPE | Mono Mini | FD488 |
| HOPE | Mono Trial | FD328 |
| HOPE | O2 (2 pistones) | FD244 |
| HOPE | RX4 | FD465 |
| HOPE | Trial Zone | FD328 |
| HOPE | V2 | FD445 |
| HOPE | V4 | FD466 |
| HOPE | V6Ti | FD527 |
| HOPE | X2 | FD467 |
| HOPE | XC4 (4 pistones) | FD242 |
| MAGURA | Clara (-2000) | FD213 |
| MAGURA | Clara (01-02) | FD237 |
| MAGURA | Gustav M (-2006) | FD246 |
| MAGURA | Julie (01-08) | FD236 |
| MAGURA | Julie HP | FD349 |
| MAGURA | Louise (02-06) | FD237 |
| MAGURA | Louise (-2001) | FD213 |
| MAGURA | Louise (2007-) | FD349 |
| MAGURA | Marta | FD253 |
| MAGURA | Marta SL (-2008) | FD253 |
| MAGURA | Marta SL (2009-) | FD349 |
| MAGURA | MT2 | FD436 |

| BRAND | MODEL | GALFER REF. |
|---------|------------------|--------------|
| MAGURA | MT4 | FD436 |
| MAGURA | MT5 | FD487 |
| MAGURA | MT6 | FD436 |
| MAGURA | MT7 | FD487 |
| MAGURA | MT8 | FD436 |
| MAGURA | MTS | FD436 |
| PROMAX | DSK-810 | FD416 |
| PROMAX | DSK-950 | FD281 |
| PROMAX | Hidraulic | FD282 |
| PROMAX | Mecanica | FD282 |
| SHIMANO | Alfine BR-S500 | FD294 |
| SHIMANO | Alfine BR-S501 | FD294 |
| SHIMANO | Alfine BR-S700 | FD452 |
| SHIMANO | BR-CX75 | FD452 |
| SHIMANO | BR-M355 | FD293 |
| SHIMANO | BR-M375 | FD293 |
| SHIMANO | BR-M395 | FD293 |
| SHIMANO | BR-M415 | FD293 |
| SHIMANO | BR-M447 | FD293 |
| SHIMANO | BR-M465 | FD293 |
| SHIMANO | BR-M475 | FD293 |
| SHIMANO | BR-M495 | FD293 |
| SHIMANO | BR-M505 | FD293 |
| SHIMANO | BR-M545 | FD294 |
| SHIMANO | BR-MT520 | FD426 |
| SHIMANO | BR-R315 | FD452 |
| SHIMANO | BR-R505 | FD294 |
| SHIMANO | BR-R515 | FD452 |
| SHIMANO | BR-R785 | FD452 |
| SHIMANO | BR-RS305 | FD496 |
| SHIMANO | BR-RS405 | FD496 |
| SHIMANO | BR-RS505 | FD496 |
| SHIMANO | BR-RS785 | FD452 |
| SHIMANO | BR-RS805 | FD496 |
| SHIMANO | Deore BR-C601 | FD293 |
| SHIMANO | Deore BR-M416 | FD293 |
| SHIMANO | Deore BR-M445 | FD293 |
| SHIMANO | Deore BR-M446 | FD293 |
| SHIMANO | Deore BR-M485 | FD293 |
| SHIMANO | Deore BR-M486 | FD293 |
| SHIMANO | Deore BR-M515 | FD293 |
| SHIMANO | Deore BR-M525 | FD293 |
| SHIMANO | Deore BR-M535 | FD294 |
| SHIMANO | Deore BR-M555 | FD305 |
| SHIMANO | Deore BR-M575 | FD293 |
| SHIMANO | Deore BR-M595 | FD294 |
| SHIMANO | Deore BR-M596 | FD294 |
| SHIMANO | Deore BR-M615 | FD452 |
| SHIMANO | Deore BR-T615 | FD293 |
| SHIMANO | Deore LX BR-M655 | FD294 |
| SHIMANO | Deore LX BR-M765 | FD294 |
| SHIMANO | Deore LX BR-M775 | FD294 |
| SHIMANO | Deore XT BR-M755 | FD247 |
| SHIMANO | Deore XT BR-M785 | FD452 |
| SHIMANO | Deore XT BR-M965 | FD294 |
| SHIMANO | Deore XT BR-M966 | FD294 |
| SHIMANO | Deore XT BR-M975 | FD294 |
| SHIMANO | Dura Ace | FD496 |
| SHIMANO | HoneE BR-M601 | FD294 |
| SHIMANO | LX BR-M585 | FD294 |
| SHIMANO | LX BR-T605 | FD294 |
| SHIMANO | LX BR-T665 | FD294 |
| SHIMANO | LX BR-T675 | FD293 |
| SHIMANO | Nexave C-910 | FD305 |
| SHIMANO | Saint BR-M800 | FD294 |
| SHIMANO | Saint BR-M810 | FD426 |
| SHIMANO | Saint BR-M820 | FD426 |
| SHIMANO | Saint XT (04-07) | FD294 |
| SHIMANO | SLX BR-M665 | FD294 |
| SHIMANO | SLX BR-M666 | FD452 |
| SHIMANO | SLX BR-M675 | FD452 |

| BRAND | MODEL | GALFER REF. |
|------------|------------------------|--------------|
| SHIMANO | SLX BR-M7000 | FD452 |
| SHIMANO | Ultegra Disc Raod | FD496 |
| SHIMANO | XT (2014-) | FD452 |
| SHIMANO | XT BR-M765 | FD294 |
| SHIMANO | XT BR-M775 | FD294 |
| SHIMANO | XT BR-M776 | FD294 |
| SHIMANO | XT BR-M785 | FD452 |
| SHIMANO | XT BR-M8000 | FD452 |
| SHIMANO | XT BR-M8020 (4p.) | FD426 |
| SHIMANO | XTR (03-07) | FD294 |
| SHIMANO | XTR (11-18) | FD452 |
| SHIMANO | XTR BR-M9000 | FD452 |
| SHIMANO | XTR BR-M9020 | FD452 |
| SHIMANO | XTR BR-M9100 (2p.) | FD496 |
| SHIMANO | XTR BR-M9120 (4p.) | FD426 |
| SHIMANO | XTR BR-M965 | FD294 |
| SHIMANO | XTR BR-M966 | FD294 |
| SHIMANO | XTR BR-M975 | FD294 |
| SHIMANO | XTR BR-M985 | FD452 |
| SHIMANO | XTR BR-M987 | FD452 |
| SHIMANO | XTR BR-M988 | FD452 |
| SHIMANO | ZEE | FD426 |
| SRAM | Code R | FD455 |
| SRAM | Code RSC | FD455 |
| SRAM | DB | FD427 |
| SRAM | Force | FD469 |
| SRAM | G2 | FD459 |
| SRAM | Guide R | FD459 |
| SRAM | Guide RE | FD455 |
| SRAM | Guide RS | FD459 |
| SRAM | Guide RSC | FD459 |
| SRAM | Guide Ultimate | FD459 |
| SRAM | HDR | FD469 |
| SRAM | Level | FD513 |
| SRAM | Level T | FD513 |
| SRAM | Level TL | FD513 |
| SRAM | Level TLM (-2018) | FD469 |
| SRAM | Level TLM (2019-) | FD513 |
| SRAM | Level Ultimate (-2018) | FD469 |
| SRAM | Level Ultimate (2019-) | FD513 |
| SRAM | Red 22 | FD469 |
| SRAM | Rival | FD469 |
| SRAM | X0 | FD427 |
| SRAM | X7 | FD427 |
| SRAM | X9 | FD427 |
| SRAM | XX | FD427 |
| TEKTRO | Aquila | FD454 |
| TEKTRO | Auriga | FD293 |
| TEKTRO | Dorado | FD293 |
| TEKTRO | Draco | FD293 |
| TEKTRO | Gemini | FD293 |
| TEKTRO | Gemini (2003-) | FD454 |
| TEKTRO | HDC 300 | FD293 |
| TEKTRO | IO | FD454 |
| TEKTRO | MOTA | FD293 |
| TEKTRO | Novela (2003-) | FD454 |
| TEKTRO | Orion | FD293 |
| TEKTRO | HD-M750 | FD426 |
| TEKTRO | HD-M745 | FD426 |
| TEKTRO | HD-M735 | FD426 |
| TEKTRO | HD-E725 | FD426 |
| TRICKSTUFF | Diretissima | FD453 |
| TRICKSTUFF | Maxima | FD466 |
| TRP | Dash Carbon | FD294 |
| TRP | Dash Sport | FD293 |
| TRP | Hylex | FD293 |
| TRP | Quadiem | FD426 |
| TRP | Quadiem SL | FD426 |
| TRP | Slate T4 | FD426 |
| TRP | Spyre | FD293 |

MERCHANDISING

GALFER
BIKE



Catalogue: 95035M01



Brochure: 95035YM01



Men T-shirt: 95023G*1 (20,80€)



Women T-shirt: 95023G*2 (20,80€)



Bicycle clothes: 95023F*1 (90,00€)

Sticker 4,5cm: 95076H01



Hat: 95994HD5 (10,00€)

Sticker 8cm: 95076A01 / E01



Key ring: 95994M01 (3,30€)

Sticker 11cm: 95076B01

Sticker 17cm: 95076C01

GALFER
PERFORMANCE BRAKING SYSTEMS

Sticker 50cm: 95076D01

GALFER
PERFORMANCE BRAKING SYSTEMS

Sticker 100cm: 95046M02



Bottle opener: 95996C04 (3,00€)



Pen: 95029PH01 (1,70€)



Beachflag 3x40m: 95002C01 (28,00€)



1 Wall 3m: 95002C02 (30,00€)

Distributed by | Distribuido por

INDUSTRIAS GALFER S.A.
ctra. de Montmeló, 50 · Circuit de Catalunya
08403 Granollers · BARCELONA (Spain)
Tel: +34 93 568 90 90 · Fax: +34 93 568 90 83
bike@galfer.es www.galferbike.com

